Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

- 1. (currently amended) A method for inhibiting a malignant cell phenotype <u>in</u> a <u>subject</u>, said method comprising: administering to cells a low dose of a nitric oxide mimetic, wherein said low dose is 3 to 10,000 fold lower than a dose of said nitric oxide mimetic that produces vasodilation, and wherein said low dose does not induce substantial tolerance.
 - 2. (canceled)
- 3. (currently amended) The method of claim 1 [[or 2]] wherein administration of the nitric oxide mimetic inhibits metastases and development of resistance to antimalignant therapeutic modalities in the cells.
- 4. (currently amended) The method of claim 1 [[or 2]] wherein administration of the nitric oxide mimetic inhibits development of a more aggressive malignant cell phenotype in the cells upon administration of an anti-VEGF agent.
- 5. (currently amended) The method of claim1 [[or 2]] wherein administration of the nitric oxide mimetic inhibits development of a malignant cell phenotype in cells exposed to factors which lower cellular nitric oxide mimetic activity.
 - 6-7. (canceled)
 - 8. (cancelled)
 - **9-12**. (canceled)
- 13. (currently amended) A method for inhibiting a malignant cell phenotype in an animal, said method comprising: administering to said animal in need thereof a low dose of a

Appl. No. 09/842,547 Amdt. dated October 20, 2004 Reply to Office Action of May 10, 2004

nitric oxide mimetic, wherein said low dose is 3 to 10,000 fold lower than a dose of said nitric oxide mimetic that produces vasodilation, and wherein said low dose does not induce substantial tolerance.

14-15. (canceled)

- 16. (original) The method of claim 13 wherein administration of the nitric oxide mimetic inhibits tumor metastases and development of resistance to antimalignant therapeutic modalities in cells in the animal.
- 17. (original) The method of claim 13 wherein administration of the nitric oxide mimetic inhibits development of a more aggressive malignant cell phenotype in cells in the animal upon administration of an anti-VEGF agent to the animal.
- 18. (original) The method of claim 13 wherein administration of the nitric oxide mimetic inhibits development of a malignant cell phenotype in animals exposed to factors which lower cellular nitric oxide mimetic activity.
- 19. (currently amended) A method of treating cancer in a subject, said method comprising administering to said subject in need thereof a low dose of a nitric oxide mimetic, wherein said low dose is 3 to 10,000 fold lower than a dose of said nitric oxide mimetic that produces vasodilation, and wherein said low dose does not induce substantial tolerance.
 - **20-21**. (canceled)
 - 22. (original) The method of claim 19 wherein the cancer is prostate cancer.
 - 23-29. (canceled)
 - **30-32**. (canceled)
- 33. (currently amended) A method for inhibiting a malignant cell phenotype, said method comprising administering to cells a low dose of a nitric oxide mimetic, wherein said

Appl. No. 09/842,547 Amdt. dated October 20, 2004 Reply to Office Action of May 10, 2004

low dose is between about 10⁻¹⁴ M to about 10⁻⁶ M of said nitric oxide mimetic, and wherein said low dose is 3 to 10,000 fold lower than a dose of the nitric oxide mimetic that produces vasodilation.

34. (previously presented) The method of claim 33, wherein said low dose is between about 10^{-14} M to about 10^{-10} M of said nitric oxide mimetic.

35.-40 (cancelled)